

My Way

February 3, 2004 ☺

Unicode Symbols
Adam T. Lindsay
Lancaster University

The UNICODE standard includes a number of signs, symbols, dingbats, bullets, arrows, graphical elements, and other miscellaneous glyphs. Prompted by finding a font dedicated to many such UNICODE symbols on MacOSX systems, this magazine documents some ways of enabling these symbols on your own system.

1 Introduction

The UNICODE standard is dedicated to creating a universal character set for all of the languages on earth. Signs and symbols are often important components of and aids to printed communication. Appropriately enough, UNICODE dedicates a number of blocks to symbols, arrows, block elements, and geometric shapes that can be useful in some documents.

CONTEX_T offers integrated support for symbols. As such, all that's necessary for CONTEX_T support for UNICODE symbols is a font that supports those symbols, an encoding that reaches those glyphs, and a little bit of CONTEX_T code to organise those symbols into symbol sets. As there are hundreds of these symbols, it's quite fortunate that this process is scriptable.

OpenType fonts formalise support for UNICODE, whether they be in TrueType (`ttf`) or PostScript (`otf`) glyph format. As such, this article can be seen as an extension of OpenType support in the script dimension.¹

2 Getting the right encoding

TEX, rather infamously, is still saddled with an 8-bit limit when dealing with fonts. So a TEX font can only contain 256 glyphs. Supporting UNICODE fonts thus means subdividing a large font with over a thousand symbols into 256-glyph chunks. The particular glyphs in a chunk are identified by their postscript names, and this collection of 256 glyph names constitute an encoding, designated with an `.enc` file suffix.

Getting an encoding right is a bit of an art. The mapping from UNICODE name to postscript name is different with each font: there is no standard postscript name for most UNICODE entities. The approach for getting an encoding depends on how the font encodes its constituent glyphs. A simple indicator of what can be found within a font is by looking at the `afm` file. The glyph names are typically mostly named or mostly numbered.

2.1 Sequential Encoding

The first way that fonts can identify their glyph names is sequentially, by index. It's especially helpful if a font identifies glyphs in UNICODE order. Many of Adobe's OpenType fonts do this, with glyphs accessible from names like `uni0041` and `uni222A`, the hexadecimal numbers referring directly to the unicode glyphs at the corresponding number.

An encoding can be synthesised directly with a tiny PERL script, `uni.enc.pl`:

¹ see other articles at <http://homepage.mac.com/atl/tex/>.

```
#!/usr/bin/perl

print "/Unicode_${ARGV[0]}_Encoding[ \n";

for ($n=0;$n<256;$n++)
  { printf ("/uni${ARGV[0]} \U%02x\n", $n) }

print "]" def\n";
```

There are other fonts that enumerate the glyphs in font order, rather than UNICODE or any other order, and, worse, don't give any meaningful information in the glyph names. The Apple Symbols.ttf font was like this, with glyphs labelled as gid65 and gid1146. A simple modification of the above PERL script will gladly spit out 256 sequential gid-prefixed glyph names. This is useful for accessing non-UNICODE glyphs in a font.

2.2 Named Encoding

If a font's glyphs are mostly named, then one can laboriously assemble an encoding by hand. It would be more useful if that process can be scripted. In order to do so, some mapping from UNICODE number to glyph name must be obtained. Non-standard font manipulation tools must be used for that.

Apple provides one such tool in their FTXTTOOLS suite.² It can dump and manipulate fonts using XML as a data format. An XML dump of a font's cmap table is just what's needed for inspecting the character mapping. The command is:

```
ftxdumperfuser -A d -t cmap -u -p -n fontfile.ttf
```

Of more general use are the TTX FontTools, from Just van Rossum/LettError.³ It also dumps and manipulates fonts using XML as an interchange format. In order to get a minimally useful .ttx file, a command would be:

```
ttx -t cmap -t name fontfile.ttf
```

This yields an XML file like:

```
<ttFont sfntVersion="\x00\x01\x00\x00" ttLibVersion="2.0b1">
  <cmap>
    <tableVersion version="0"/>
    <cmap_format_4 platformID="3" platEncID="1" version="0">
      <map code="0x2600" name="gid289"/>
      <map code="0x2601" name="gid290"/>
      <map code="0x2602" name="gid291"/>
    </cmap_format_4>
  </cmap>
</ttFont>
```

² available at <http://developer.apple.com/fonts/OSXTools.html>

³ available at <http://sourceforge.net/projects/fonttools/>

```

    <map code="0x2603" name="gid292" />
    <map code="0x2604" name="gid293" />
  </cmap_format_4>
</cmap>
<name>
  <namerecord nameID="1" platformID="1" platEncID="0" langID="0x0">
    Apple Symbols
  </namerecord>
</name>
</ttFont>

```

It's pretty clear from inspection how the file relates UNICODE numbers (codes) with POSTSCRIPT glyph names (names). Not every font makes all of the necessary tables visible, so other strategies need to be used in those cases. If a complete .ttx file is available, however, then you can use `ttx2enc.xsl`, a stylesheet that transforms a TTX file into an enc file for use with `TeXFont` and `PDFTeX`:

```

<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" version="1.0"
  xmlns:date="http://exslt.org/dates-and-times">
  <xsl:output method="text" />
  <xsl:strip-space elements="*" />
  <xsl:param name="vector" />
  </xsl:param>
  <xsl:variable name="hexdigits" select="'0123456789abcdef'" />
  <xsl:template name="grab-glyph-name">
    <xsl:param name="char-value" />
    <xsl:choose>
      <xsl:when test="map[@code = $char-value]">
        <xsl:text>/</xsl:text>
        <xsl:value-of select="map[@code = $char-value]/@name" />
        <xsl:text> % </xsl:text>
        <xsl:value-of select="$char-value" />
        <xsl:text> </xsl:text>
        <xsl:value-of select="map[@code = $char-value]/following-sibling::comment" />
        <xsl:text> </xsl:text>
      </xsl:when>
      <xsl:otherwise>
        <xsl:text>/.notdef % </xsl:text>
        <xsl:value-of select="$char-value" />
        <xsl:text> </xsl:text>
      </xsl:otherwise>
    </xsl:choose>
  </xsl:template>
<xsl:template match="/">

```

```

<xsl:text>% Automatically generated encoding from ttx2enc.xsl %
  ttx2enc.xsl by Adam T. Lindsay, 2004-01-23 % generated on </xsl:text>
<xsl:value-of select="date:date-time()"/>
<xsl:text> % for the font: </xsl:text>
<xsl:value-of select="normalize-space(/ttFont/name/namerecord[@nameID='1'] [1])"/>
<xsl:text> </xsl:text>
<xsl:value-of select="normalize-space(/ttFont/name/namerecord[@nameID='2'] [1])"/>
<xsl:text> % for the vector: </xsl:text>
<xsl:value-of select="concat('0', $vector)"/>
<xsl:text> /Unicode</xsl:text>
<xsl:value-of select="concat('0', $vector)"/>
<xsl:text>Encoding [ </xsl:text>
<xsl:apply-templates mode="cmap2glyph"/>
<xsl:text>] def </xsl:text>
</xsl:template>
<xsl:template match="/ttFont/cmap/cmap_format_4[1]" mode = "cmap2glyph">
  <xsl:call-template name="iterator"/>
</xsl:template>
<xsl:template match="*"/>
<xsl:template match="text()" mode="cmap2glyph"/>
<xsl:template name="iterator">
  <xsl:param name="outervalue">
    0
  </xsl:param>
  <xsl:param name="innervalue">
    0
  </xsl:param>
  <xsl:call-template name="grab-glyph-name">
    <xsl:with-param name="char-value">
      <xsl:value-of select = "concat('0x', $vector, $outervalue, $innervalue)"/>
    </xsl:with-param>
  </xsl:call-template>
  <xsl:choose>
    <xsl:when test="$outervalue='f' and $innervalue='f'">
      </xsl:when>
    <xsl:when test="$innervalue='f' and $outervalue!='f'">
      <xsl:call-template name="iterator">
        <xsl:with-param name="outervalue">
          <xsl:value-of select = "substring($hexdigits, string-length(
            substring-before( $hexdigits, $outervalue))+2, 1)"/>
        </xsl:with-param> <xsl:with-param name="innervalue">0</xsl:with-param>
      </xsl:call-template>
    </xsl:when>
    <xsl:otherwise>

```

```

<xsl:call-template name="iterator">
  <xsl:with-param name="outervalue">
    <xsl:value-of select = "$outervalue"/>
  </xsl:with-param> <xsl:with-param name="innervalue">
    <xsl:value-of select = "substring( $hexdigits, string-length(
      substring-before( $hexdigits, $innervalue))+2, 1)"/>
  </xsl:with-param>
</xsl:call-template>
</xsl:otherwise>
</xsl:choose>
</xsl:template>
</xsl:stylesheet>

```

(For MacOSX users, the included `cmap2enc.xsl` transform will accomplish the same thing, but with a `.cmap.xml` file input. This one was written first, in fact.)

The UNICODE enc files for one font were generated with different values for the vector parameter. The vector identifies the high byte of the UNICODE value, and therefore the group of 256 glyphs. Which vectors are interesting can be discovered through inspection of the font and by looking at the UNICODE file `Blocks.txt`.⁴ For example, the "Miscellaneous Symbols" block is located in the range 2600 to 26FF, corresponding with vector 26.

Michael Kay's SAXON⁵ was the XSLT processor of choice, but you can use the command of your choice:

```
saxon AppleSymbols.ttx ttx2enc.xsl vector=1e > applesymbols1exx.enc
```

Note, above, that the both the vector parameter and the name of the output enc file should be all lowercase. This yields a file like:

```

/Unicode26Encoding [
/gid289 % 0x2600 BLACK SUN WITH RAYS
/gid290 % 0x2601 CLOUD
/gid291 % 0x2602 UMBRELLA
/gid292 % 0x2603 SNOWMAN
/gid293 % 0x2604 COMET
          % ... 250 more glyphs ...
/.notdef % 0x26FF
] def

```

⁴ from <http://www.unicode.org/Public/UNIDATA/>

⁵ from <http://saxon.sourceforge.net/>

2.3 Perl from Unicode

The methods described above are only a couple possibilities. Another one is to use the `UnicodeData.txt`⁶ file with PERL, RUBY, or another text processor of your choice.

3 Font installation

Be sure to install any newly generated encodings into a place where `kpsewhich` can find them, like `texmf-fonts/dvips/local/`.

Once you have the encoding files for the vectors of interest in place, you can run `TEXFONT` with the appropriate encoding, like:

```
texfont --make --install --ve=foo --co=bar --en=bar26xx
```

4 Support file

`CONTEXT` has very nice support for named symbols which can be loaded by named sets. It makes sense to use this mechanism. As these symbols are UNICODE entities, we may as well call UNICODE `\uchar` commands directly. As we have hundreds and hundreds of glyphs to deal with, it makes sense to script the assignment of names, as well.

A modification of the Apple XSLT stylesheet (included in the distribution as `cmap2symb.xsl`) will take a vector and convert the all-caps unicode names in a `.cmap.xml` file into inter-capped symbol names within a symbol definition:

This results in output lines like the following:

```
\definesymbol[BlackSunWithRays][\uchar{38}{0}] % BLACK SUN WITH RAYS
\definesymbol[Cloud][\uchar{38}{1}] % CLOUD
\definesymbol[Umbrella][\uchar{38}{2}] % UMBRELLA
\definesymbol[Snowman][\uchar{38}{3}] % SNOWMAN
```

A little bit of manual effort to group the symbols into symbol sets followed, along with some shortening and correction of names. In general, the sets are named after the corresponding UNICODE block- or sub-block. The sets defined so far are as follows:

Symbol Set Name	Block	Required Font
Unicode Additional Punctuation	0x2000	UnicodeRegular20
Unicode Currency	0x20A0	UnicodeRegular20

⁶ from <http://www.unicode.org/Public/UNIDATA/>

Unicode Letterlike	0x2100	UnicodeRegular21
Unicode Letterlike Additional	0x2100	UnicodeRegular21
Unicode Script Letterlike	0x2100	UnicodeRegular21
Unicode Hebrew Letterlike	0x2100	UnicodeRegular21
Unicode Turned Letterlike	0x2100	UnicodeRegular21
Unicode Black-letter Letterlike	0x2100	UnicodeRegular21
Unicode Double-struck Letterlike Math	0x2100	UnicodeRegular21
Unicode Roman Numerals	0x2150	UnicodeRegular21
Unicode Small Roman Numerals	0x2150	UnicodeRegular21
Unicode Arrows	0x2190	UnicodeRegular21
Unicode Multi Arrows	0x2190	UnicodeRegular21
Unicode Optical Character Recognition	0x2440	UnicodeRegular24
Unicode Circled Digits	0x2460	UnicodeRegular24
Unicode Box Drawing	0x2500	UnicodeRegular25
Unicode Double Box Drawing	0x2500	UnicodeRegular25
Unicode Block Elements	0x2580	UnicodeRegular25
Unicode Shade Characters	0x2580	UnicodeRegular25
Unicode Terminal Graphics	0x2580	UnicodeRegular25
Unicode Geometric Shapes	0x25A0	UnicodeRegular25
Unicode Control Code Graphics	0x25A0	UnicodeRegular25
Unicode Weather and Astrological	0x2600	UnicodeRegular26
Unicode Miscellaneous	0x2600	UnicodeRegular26
Unicode Japanese Chess	0x2600	UnicodeRegular26
Unicode Pointing Hand	0x2600	UnicodeRegular26
Unicode Warning Signs	0x2600	UnicodeRegular26
Unicode Healing Signs	0x2600	UnicodeRegular26
Unicode Religious and Political	0x2600	UnicodeRegular26 & 27
Unicode Trigram	0x2600	UnicodeRegular26
Unicode Zodiac	0x2600	UnicodeRegular26
Unicode Chess	0x2600	UnicodeRegular26
Unicode Playing Card	0x2600	UnicodeRegular26
Unicode Musical	0x2600	UnicodeRegular26
Unicode Recycling	0x2600	UnicodeRegular26
Unicode Dice	0x2600	UnicodeRegular26
Unicode Go Markers	0x2600	UnicodeRegular26
Unicode Dingbats	0x2700	UnicodeRegular27
Unicode Checks and Xs	0x2700	UnicodeRegular27
Unicode Stars	0x2700	UnicodeRegular27
Unicode Snowflakes	0x2700	UnicodeRegular27
Unicode Shadowed Shapes	0x2700	UnicodeRegular27
Unicode Bars	0x2700	UnicodeRegular27
Unicode Dingbat Punctuation	0x2700	UnicodeRegular27
Unicode Hearts	0x2700	UnicodeRegular27
Unicode Negative Circled Digits	0x2700	UnicodeRegular27

Unicode Circled Sans-serif Digits	0x2700	UnicodeRegular27
Unicode Negative Circled Sans-serif Digits	0x2700	UnicodeRegular27
Unicode Dingbat Arrows	0x2700	UnicodeRegular27
Unicode Shadowed Arrows	0x2700	UnicodeRegular27
Unicode Tailed Arrows	0x2700	UnicodeRegular27

5 Usage

In order use these pre-defined symbols, load the definitions from the somewhat presumptuously named `symb-uni.tex`:

```
\usesymbols[uni]
```

As the symbol definitions depend on unicode fonts being defined, you need to load map files and define simple font synonyms:

```
\loadmapfile [applesymbols25xx-apple-applesymbols.map]
\loadmapfile [applesymbols26xx-apple-applesymbols.map]
\definefontsynonym [UnicodeRegular25] [applesymbols25xx-AppleSymbols]
\definefontsynonym [UnicodeRegular26] [applesymbols26xx-AppleSymbols]
```

Using the symbols is like others in `CONTEX`T.

```
\showsymbolset[Unicode Warning Signs] [n=4]
```










SkullAndCrossbones CautionSign RadioactiveSign BiohazardSign

```
\setupsymbolset[Unicode Healing Signs]
```

Here's an Ankh: `\symbol [Ankh] \quad` and a Caduceus: `\symbol [Caduceus]`

Here's an Ankh:  and a Caduceus: 

Here's a hammer and sickle, called without loading the symbol set:

```
\symbol [Unicode Religious and Political] [HammerAndSickle]
```

Here's a hammer and sickle, called without loading the symbol set: 

```
\definesymbol[1] [{\symbol[Unicode Miscellaneous] [BallotBoxWithCheck]}]
\definesymbol[2] [{\symbol[Unicode Pointing Hand] [WhiteRightPointingIndex]}]
\startitemize[packed]
\item You can hook symbols into the itemize mechanism at different
levels.
\startitemize[packed]
\item This is not new, but you have many more typographic options
available to you.
\item Be sure to use typographic restraint and good taste!
```

`\stopitemize`

`\stopitemize`

- ☑ You can hook symbols into the itemize mechanism at different levels.
 - ☞ This is not new, but you have many more typographic options available to you.
 - ☞ Be sure to use typographic restraint and good taste!

source code of this document

```

\usemodule[mag-01]
\usemodule[abr-02]
\showXMLwrd[xsl:text]
\showXMLwrd[xsl:value]
\showXMLwrd[xsl:with-param]

\definebodyfont [10pt] [rm] [tfe=UnicodeRegular26 sa 3.5] %ugly!!!!

\definetyping[xtyping] [style=\ttx]

\setvariables
[magazine]
[title={Unicode Symbols},
author=Adam T.\ Lindsay,
affiliation=Lancaster University,
date={\currentdate\ {\tfe\char3}}]
\startbuffer[abstract]
The \UNICODE\ standard includes a number of signs, symbols, dingbats,
bullets, arrows, graphical elements, and other miscellaneous glyphs.
Prompted by finding a font dedicated to many such \UNICODE\ symbols
on Mac|*|OS|*|X systems, this magazine documents some ways of
enabling these symbols on your own system.
\stopbuffer

\startbuffer[input]
\usesymbols[uni]
\stopbuffer
\getbuffer[input]

\startbuffer[synonyms]
\loadmapfile [applesymbols25xx-apple-applesymbols.map]
\loadmapfile [applesymbols26xx-apple-applesymbols.map]
\definefontsynonym [UnicodeRegular25] [applesymbols25xx-AppleSymbols]
\definefontsynonym [UnicodeRegular26] [applesymbols26xx-AppleSymbols]
\stopbuffer
\getbuffer[synonyms]

\starttext \setups [titlepage] \setups [title]

\section{Introduction}

The \UNICODE\ standard is dedicated to creating a universal character
set for all of the languages on earth. Signs and symbols are often
important components of and aids to printed communication. Appropriately

```

source code of this document

enough, `\UNICODE\` dedicates a number of blocks to symbols, arrows, block elements, and geometric shapes that can be useful in some documents.

`\CONTEXT\` offers integrated support for symbols. As such, all that's necessary for `\CONTEXT\` support for `\UNICODE\` symbols is a font that supports those symbols, an encoding that reaches those glyphs, and a little bit of `\CONTEXT\` code to organise those symbols into symbol sets.

As there are hundreds of these symbols, it's quite fortunate that this process is scriptable.

Open*|Type fonts formalise support for `\UNICODE`, whether they be in True*|Type (`\type{ttf}`) or Post*|Script (`\type{otf}`) glyph format. As such, this article can be seen as an extension of Open*|Type support in the script dimension.`\footnote{see other articles at \hyphenatedurl {http://homepage.mac.com/atl/tex/}.}`

`\section{Getting the right encoding}`

`\TEX`, rather infamously, is still saddled with an 8|-|bit limit when dealing with fonts. So a `\TEX\` font can only contain 256 glyphs. Supporting `\UNICODE\` fonts thus means subdividing a large font with over a thousand symbols into 256|-|glyph chunks. The particular glyphs in a chunk are identified by their postscript names, and this collection of 256 glyph names constitute an encoding, designated with an `\type{.enc}` file suffix.

Getting an encoding right is a bit of an art. The mapping from `\UNICODE\` name to postscript name is different with each font: there is no standard postscript name for most `\UNICODE\` entities. The approach for getting an encoding depends on how the font encodes its constituent glyphs. A simple indicator of what can be found within a font is by looking at the `\type{afm}` file. The glyph names are typically mostly named or mostly numbered.

`\subsection{Sequential Encoding}`

source code of this document

The first way that fonts can identify their glyph names is sequentially, by index. It's especially helpful if a font identifies glyphs in `\UNICODE\` order. Many of Adobe's OpenType fonts do this, with glyphs accessible from names like `uni0041` and `uni222A`, the hexadecimal numbers referring directly to the unicode glyphs at the corresponding number.

An encoding can be synthesised directly with a tiny `\PERL\` script, `\type{unienc.pl}`:
`\typefile[PL]{unienc.pl}`

There are other fonts that enumerate the glyphs in font order, rather than `\UNICODE\` or any other order, and, worse, don't give any meaningful information in the glyph names. The `\type{Apple Symbols.ttf}` font was like this, with glyphs labelled as `gid65` and `gid1146`. A simple modification of the above `\PERL\` script will gladly spit out 256 sequential `gid`-prefixed glyph names. This is useful for accessing non-`\UNICODE\` glyphs in a font.

```
% alias unienc unienc.pl !:1 > uni!:1xx.enc
```

`\subsection{Named Encoding}`

If a font's glyphs are mostly named, then one can laboriously assemble an encoding by hand. It would be more useful if that process can be scripted. In order to do so, some mapping from `\UNICODE\` number to glyph name must be obtained. Non-standard font manipulation tools must be used for that.

Apple provides one such tool in their `{\sc FTX|*|Tools}` suite.`\footnote{available at http://developer.apple.com/fonts/OSXTools.html}`
 It can dump and manipulate fonts using `\XML\` as a data format. An `\XML\` dump of a font's `\type{cmap}` table is just what's needed for inspecting the character mapping. The command is:
`\starttyping`
`ftxdumperfuser -A d -t cmap -u -p -n fontfile.ttf`
`\stoptyping`

Of more general use are the `{\sc ttx}` `Font|*|Tools`, from Just van Rossum's `Lett|*|Error`.`\footnote{available at http://sourceforge.net/projects/fonttools/}`
 It also dumps and manipulates fonts using `\XML\` as an interchange

source code of this document

format. In order to get a minimally useful `\type{.ttx}` file, a command would be:

```
\starttyping
ttx -t cmap -t name fontfile.ttf
\stoptyping
```

This yields an `\XML\` file like:

```
\showXMLfile{AppleSymbols.ttx}
```

It's pretty clear from inspection how the file relates `\UNICODE\` numbers (`\type{code}s`) with `\POSTSCRIPT\` glyph names

(`\type{name}s`). Not every font makes all of the necessary tables visible, so other strategies need to be used in those cases. If a complete `\type{.ttx}` file is available, however, then you can use `\type{ttx2enc.xsl}`, a stylesheet that transforms a `{\sc ttx}` file into an `\type{enc}` file for use with `\TEXFONT\` and `\PDFTEX:`

```
\chardef\XMLtokensreduction\plustwo
\showXMLfile{ttx2enc.xsl}
```

(For Mac|*|OS|*|X users, the included `\type{cmap2enc.xsl}` transform will accomplish the same thing, but with a `\type{.cmap.xml}` file input. This one was written first, in fact.)

The `\UNICODE\ \type{enc}` files for one font were generated with different values for the `\type{vector}` parameter. The vector identifies the high byte of the `\UNICODE\` value, and therefore the group of 256 glyphs. Which vectors are interesting can be discovered through inspection of the font and by looking at the `\UNICODE\` file

```
\type{Blocks.txt}.\footnote{from
\hyphenatedurl{http://www.unicode.org/Public/UNIDATA/}}
```

For example, the "Miscellaneous Symbols" block is located in the range 2600 to 26FF, corresponding with vector 26.

Michael Kay's `{\sc saxon}\footnote{from`
`\hyphenatedurl{http://saxon.sourceforge.net/}}` was the
`\XSLT\` processor of choice, but you can use the command of your choice:

```
\starttyping
saxon AppleSymbols.ttx ttx2enc.xsl vector=1e > applesymbols1exx.enc
\stoptyping
```

Note, above, that the both the `\type{vector}` parameter and the name of the output `\type{enc}` file should be all lowercase. This yields a file like:

```
\typefile[TEX]{AppleSymb26xx-short.enc}
```

source code of this document

```
% alias vectone 'saxon Everson\ Mono\ Unicode.cmap.xml
%../../experiments/symb/cmap2enc.xsl vector=\\!:'1'
```

```
\subsection{Perl from Unicode}
```

The methods described above are only a couple possibilities. Another one

```
is to use the \type{UnicodeData.txt}\footnote{from
\hyphenatedurl {http://www.unicode.org/Public/UNIDATA/}}
file with \PERL, \RUBY, or another text processor of your choice.
```

```
\section{Font installation}
```

Be sure to install any newly generated encodings into a place where `\type{kpsewhich}` can find them, like `\type{texmf-fonts/dvips/local/}`.

Once you have the encoding files for the vectors of interest in place, you can run `\TEXFONT\` with the appropriate encoding, like:

```
\starttyping
texfont --make --install --ve=foo --co=bar --en=bar26xx
\stoptyping
```

```
\section{Support file}
```

`\CONTEXT\` has very nice support for named symbols which can be loaded by named sets. It makes sense to use this mechanism. As these symbols are `\UNICODE\` entities, we may as well call `\UNICODE\ \type{\uchar}` commands directly. As we have hundreds and hundreds of glyphs to deal with, it makes sense to script the assignment of names, as well.

A modification of the Apple `\XSLT\` stylesheet (included in the distribution as `\type{cmap2symb.xsl}`) will take a vector and convert the all|-|caps unicode names in a `\type{.cmap.xml}` file into inter|-|capped symbol names within a symbol definition:

This results in output lines like the following:

```
\startTEX
\definesymbol[BlackSunWithRays][\uchar{38}{0}] % BLACK SUN WITH RAYS
\definesymbol[Cloud][\uchar{38}{1}] % CLOUD
\definesymbol[Umbrella][\uchar{38}{2}] % UMBRELLA
```

source code of this document

```
\definesymbol[Snowman][\uchar{38}{3}] % SNOWMAN
\stopTEX
```

A little bit of manual effort to group the symbols into symbol sets followed, along with some shortening and correction of names. In general, the sets are named after the corresponding `\UNICODE\` block¹ or sub² block. The sets defined so far are as follows:

```
\starttabulate[|l|Tc|l|]
\NC {\bf Symbol Set Name}\NC {\rmbf Block}\NC {\bf Required Font}\NR
\NC Unicode Additional Punctuation \NC 0x2000 \NC UnicodeRegular20
\NR
\NC Unicode Currency \NC 0x20A0 \NC UnicodeRegular20\NR
\NC Unicode Letterlike \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Letterlike Additional \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Script Letterlike \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Hebrew Letterlike \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Turned Letterlike \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Black-letter Letterlike \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Double-struck Letterlike Math \NC 0x2100 \NC UnicodeRegular21\NR
\NC Unicode Roman Numerals \NC 0x2150 \NC UnicodeRegular21\NR
\NC Unicode Small Roman Numerals \NC 0x2150 \NC UnicodeRegular21\NR
\NC Unicode Arrows \NC 0x2190 \NC UnicodeRegular21\NR
\NC Unicode Multi Arrows \NC 0x2190 \NC UnicodeRegular21\NR
\NC Unicode Optical Character Recognition \NC 0x2440 \NC UnicodeRegular24\NR
\NC Unicode Circled Digits \NC 0x2460 \NC UnicodeRegular24\NR
\NC Unicode Box Drawing \NC 0x2500 \NC UnicodeRegular25\NR
\NC Unicode Double Box Drawing \NC 0x2500 \NC UnicodeRegular25\NR
\NC Unicode Block Elements \NC 0x2580 \NC UnicodeRegular25\NR
\NC Unicode Shade Characters \NC 0x2580 \NC UnicodeRegular25\NR
\NC Unicode Terminal Graphics \NC 0x2580 \NC UnicodeRegular25\NR
\NC Unicode Geometric Shapes \NC 0x25A0 \NC UnicodeRegular25\NR
\NC Unicode Control Code Graphics \NC 0x25A0 \NC UnicodeRegular25\NR
\NC Unicode Weather and Astrological \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Miscellaneous \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Japanese Chess \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Pointing Hand \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Warning Signs \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Healing Signs \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Religious and Political \NC 0x2600 \NC UnicodeRegular26
& 27\NR
\NC Unicode Trigram \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Zodiac \NC 0x2600 \NC UnicodeRegular26\NR
```

source code of this document

```

\NC Unicode Chess \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Playing Card \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Musical \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Recycling \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Dice \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Go Markers \NC 0x2600 \NC UnicodeRegular26\NR
\NC Unicode Dingbats\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Checks and Xs\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Stars\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Snowflakes\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Shadowed Shapes\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Bars\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Dingbat Punctuation\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Hearts\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Negative Circled Digits\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Circled Sans-serif Digits\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Negative Circled Sans-serif Digits\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Dingbat Arrows\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Shadowed Arrows\NC 0x2700 \NC UnicodeRegular27\NR
\NC Unicode Tailed Arrows\NC 0x2700 \NC UnicodeRegular27\NR

```

```
\stoptabulate
```

```
\section{Usage}
```

In order use these pre|-|defined symbols, load the definitions from the somewhat presumptuously named `\type{symb-uni.tex}`:

```
\typebuffer[input]
```

As the symbol definitions depend on unicode fonts being defined, you need to load map files and define simple font synonyms:

```
\typebuffer[synonyms]
```

Using the symbols is like others in `\CONTEXT`.

```
\startbuffer
```

```
\showsymbolset[Unicode Warning Signs][n=4]
```

```
\stopbuffer
```

```
\typebuffer\getbuffer
```

```
\startbuffer
```

```
\setupsymbolset[Unicode Healing Signs]
```

Here's an Ankh: `\symbol [Ankh] \quad` and a Caduceus: `\symbol [Caduceus]`

```
\stopbuffer
```

```
\typebuffer\getbuffer
```

```
\startbuffer
```

source code of this document

Here's a hammer and sickle, called without loading the symbol set:

```
\symbol [Unicode Religious and Political] [HammerAndSickle]
\stopbuffer
\typebuffer\getbuffer
\startbuffer
\definesymbol[1][{\symbol[Unicode Miscellaneous] [BallotBoxWithCheck]}]
\definesymbol[2][{\symbol[Unicode Pointing Hand] [WhiteRightPointingIndex]}]
\startitemize[packed]
\item You can hook symbols into the itemize mechanism at different
levels.
\startitemize[packed]
\item This is not new, but you have many more typographic options
available to you.
\item Be sure to use typographic restraint and good taste!
\stopitemize
\stopitemize
\stopbuffer
\typebuffer\getbuffer

\setups [listing] \setups [lastpage] \stoptext
```

source code of this document

